





KFB255Z-6



Model	KFB255Z-6	KFB255Z-6
Rated Volts(V)	12	24
Load Current(A)	≤4	≤2
Load Speed(r/min)	3000±10%	3000±10%
Assey Thick(mm)	61	
Diameter of Fan Blade(mm)	155	
Regular Service Life(h)	2200±10%	2200±10%




KFB255C-6



Model	KFB255C-6
Rated Volts(V)	12
Load Current(A)	≤4
Load Speed(r/min)	3350±5%
Assey Thick(mm)	61
Diameter of Fan Blade(mm)	155
Regular Service Life(h)	2200±10%




KFB255Z-7




Model	KFB255Z-7	KFB255Z-7
Rated Volts(V)	12	24
Load Current(A)	≤5	≤3
Load Speed(r/min)	2900±10%	2900±10%
Assey Thick(mm)	67	
Diameter of Fan Blade(mm)	190	
Regular Service Life(h)	2200±10%	2200±10%



KFB255W-7




Model	KFB255W-7	KFB255W-7
Rated Volts(V)	12	24
Load Current(A)	≤5	≤3
Load Speed(r/min)	2900±10%	2900±10%
Assey Thick(mm)	67	
Diameter of Fan Blade(mm)	190	
Regular Service Life(h)	2200±10%	2200±10%



KFB255Z-9

Model	KFB255Z-9	KFB255Z-9
Rated Volts(V)	12	24
Load Current(A)	≤6	≤3.5
Load Speed(r/min)	2500±10%	2800±10%
Assey Thick(mm)	63	
Diameter of Fan Blade(mm)	225	
Regular Service Life(h)	2200±10%	2200±10%




KFB255W-9

Model	KFB255W-9	KFB255W-9
Rated Volts(V)	12	24
Load Current(A)	≤6	≤3.5
Load Speed(r/min)	2500±10%	2800±10%
Assey Thick(mm)	63	
Diameter of Fan Blade(mm)	225	
Regular Service Life(h)	2200±10%	2200±10%




KFB255Z-10



Model	KFB255Z-10	KFB255Z-10
Rated Volts(V)	12	24
Load Current(A)	≤7	≤4
Load Speed(r/min)	2400±10%	2500±10%
Assey Thick(mm)	61.5	
Diameter of Fan Blade(mm)	225	
Regular Service Life(h)	2200±10%	2200±10%




KFB255W-10



Model	KFB255W-10	KFB255W-10
Rated Volts(V)	12	24
Load Current(A)	≤6	≤4
Load Speed(r/min)	2400±10%	2500±10%
Assey Thick(mm)	60	
Diameter of Fan Blade(mm)	255	
Regular Service Life(h)	2200±10%	2200±10%




KFB255Z-12



Model	KFB255Z-12	KFB255Z-12
Rated Volts(V)	12	24
Load Current(A)	≤7	≤4
Load Speed(r/min)	2200±10%	2200±10%
Assey Thick(mm)	60	
Diameter of Fan Blade(mm)	280	
Regular Service Life(h)	2200±10%	2200±10%




KFB255W-12



Model	KFB255W-12	KFB255W-12
Rated Volts(V)	12	24
Load Current(A)	≤7.5	≤4
Load Speed(r/min)	2000±10%	2100±10%
Assey Thick(mm)	60	
Diameter of Fan Blade(mm)	288	
Regular Service Life(h)	2200±10%	2200±10%




KFB255Z-14



Model	KFB255Z-14	KFB255Z-14
Rated Volts(V)	12	24
Load Current(A)	≤8	≤5
Load Speed(r/min)	1900±10%	2000±10%
Assey Thick(mm)	65	
Diameter of Fan Blade(mm)	328	
Regular Service Life(h)	2200±10%	2200±10%




KFB255W-14



Model	KFB255W-14 90w	KFB255W-14
Rated Volts(V)	12	24
Load Current(A)	≤9.5	≤4
Load Speed(r/min)	2000±10%	2200±10%
Assey Thick(mm)	65	85
Diameter of Fan Blade(mm)	340	
Regular Service Life(h)	2200±10%	2500±10%




KFB255Z-16



Model	KFB255Z-16	KFB255Z-16
Rated Volts(V)	12	24
Load Current(A)	≤11	≤5.5
Load Speed(r/min)	2000±10%	2000±10%
Assey Thick(mm)	83	
Diameter of Fan Blade(mm)	393	
Regular Service Life(h)	2500±10%	2500±10%



KFB255W-16



Model	KFB255W-16	KFB255W-16
Rated Volts(V)	12	24
Load Current(A)	≤11	≤5
Load Speed(r/min)	2000±10%	1900±10%
Assey Thick(mm)	83	
Diameter of Fan Blade(mm)	385	
Regular Service Life(h)	2500±10%	2500±10%